


RS671 Brake Side INSTRUCTIONS

ASSEMBLY INFO & EXPLODED VIEW



THIS PRODUCT IS TO BE INSTALLED BY A CERTIFIED MECHANIC ONLY



1.800.440.3559

www.VORTEXRACING.com

RS671 Brake Side INSTRUCTIONS

RS671 Brake Bracket EXPLODED VIEW



INDEX



LUBRICATE




THREAD LOCK

OEM

USE FACTORY
PIECE



DO NOT
OVERTIGHTEN



RS671 Brake Side INSTRUCTIONS

RS671 Brake Bracket EXPLODED VIEW



INDEX



LUBRICATE




THREAD LOCK

OEM

USE FACTORY
PIECE



DO NOT
OVERTIGHTEN



RS671 Brake Side

INSTRUCTIONS

RS671 Brake Lever

EXPLODED VIEW



INDEX



LUBRICATE




THREAD LOCK

OEM

USE FACTORY
PIECE



DO NOT
OVERTIGHTEN



1.800.440.3559

www.VORTEXRACING.com

RS671 Shift Side INSTRUCTIONS

ASSEMBLY INFO & EXPLODED VIEW






THIS PRODUCT IS TO BE INSTALLED BY A CERTIFIED MECHANIC ONLY

● OEM Footpeg Position

Adjustment Range from OEM

Maximum Range: 17mm up & down
23mm back & forward



STANDARD
SHIFT

GP SHIFT

KICKSTAND BRACKET FOR
RACE USE ONLY, ELIMINATES
KICKSTAND

RS671 Shift Side INSTRUCTIONS

RS671 Shift Bracket EXPLODED VIEW



INDEX



LUBRICATE




THREAD LOCK

OEM

USE FACTORY
PIECE



DO NOT
OVERTIGHTEN



1.800.440.3559

www.VORTEXRACING.com

RS671 Shift Side

INSTRUCTIONS

RS671 Shift Lever

EXPLODED VIEW



INDEX



LUBRICATE




THREAD LOCK

OEM

USE FACTORY
PIECE



DO NOT
OVERTIGHTEN



1.800.440.3559

www.VORTEXRACING.com