

Installation Procedures:

Caution: Exhaust system can be extremely hot. Let motorcycle cool down before beginning installation.

Note: Read through all instructions before beginning installation.

Tools Needed:

12mm and 14mm sockets 3/8" ratchet and extension Torque wrench 5mm allen head wrench

Installation Steps:

1 Remove stock muffler by removing flange cover on stock muffler (2 allen head bolts). Remove 3 mounting nuts on muffler flange, unbolt muffler bracket, remove muffler and gasket..

2 Install new muffler gasket (Not supplied - Kawasaki part no. 11060-1213)

- 3 Install Yoshimura muffler using supplied bolts. (See Fig. 1) Torque bolts to 2.3 kg-m (16.5 lb-ft).
- 4 Apply heat insulator to inside of muffler clamp and slide clamp onto muffler. (note direction of clamp in Fig. 3)
- 5 Mount clamp to stock muffler bracket using stock bolt, washer, and nut. (Fig. 2) Torque bolt to 2.5 kg-m (18 lb-ft)
- 6 Replace muffler flange cover using stock bolts. (Fig. 2).
- 7 Check for proper clearance between new muffler and motorcycle. (i.e. swing-arm, passenger foot-peg, rear wheel, etc.) If any problem is found, please carefully follow through the installation steps again. If problem still persists, please call Yoshimura tech. Dept. at (800)634-9166 / in CA (909)628-4722
- Note: After starting motorcycle, it is normal for new muffler to emit smoke until oil residue burns off.






Fig. 1










NO.	DESCRIPTION	QTY	PART #
1	RS-3 Bolt On Muffler Assembly	1	**
2	Stainless Steel Muffler Clamp	1	
	Stainless Steel and Titanium Sleeve use		COS450S10ALX
	Carbon Fiber Sleeve use		COS450S10AL
3	Flange Head Bolt	3	M8X20H
**	Muffler Clamp Heat Insulator	1	HT SHLDTRS
**	Yoshimura Vinyl Sticker	2	17028-BLK

Nuts and Bolts Guide (Actual Size):



8mm x 20mm Flange Hex Bolt